

PELLET HYDRO TRADITIONAL IDRO DOUBLE DOOR



Doppia porta
Double door
Double porte
Doppeltür
Puerta doble
Porta dupla


Vetro Magic
Magic glass
Vitre magique
Magisches glas
Vidrio mágico
Vidro mágico

Braciere in ghisa
Cast iron brazier
Brasier en fonte
Gusseisen Kohlenbecken
Brasero de hierro fundido
Braseiro em ferro fundido

Mod. 17 / 20 / 24 / 28 / 32
Ventilazione frontale
Front ventilation
Ventilateur frontal
Frontbelüftung
Ventilación frontal
Ventilação frontal

Mod. 14 Braciere in acciaio
Steel brazier
Brasier en acier
Stahl Kohlenbecken
Brasero de acero
Braseiro de aço

20 kW	24 kW	28 kW	32 kW
TR.ST.TH20DD 510 m³	TR.ST.TH24DD 510 m³	TR.ST.TH28DD 600 m³	TR.ST.TH32DD 730 m³
SFERAGLTH20 420 m³	SFERAGLTH24 510 m³	/	/
19,0 - 5,2	23,1 - 5,2	27,3 - 8,9	32,4 - 8,9
18,2 - 5,0	21,9 - 5,0	25,8 - 8,5	30,4 - 8,5
13,9 - 4,2	17,8 - 4,2	20,3 - 6,5	24,3 - 6,5
4,2 - 0,8	4,1 - 0,8	5,5 - 2,0	6,1 - 2,0
4,0 - 1,1	4,8 - 1,1	5,5 - 1,8	6,3 - 1,8
96,7 - 95,7	96,7 - 94,9	95,7 - 94,5	95,7 - 94,0
38	38	57	57
34 - 9,5	34 - 7,5	30 - 9,5	30 - 9,0
400 - 145	400 - 145	430 - 165	430 - 165
236		280	
593x676x1248		704x739x1366	
642x759x1270		/	



AUTOPULENTI / SELF-CLEANING TRADITIONAL IDRO DOUBLE DOOR SFERA GLASS IDRO



AUTOPULENTI CON BRACIERE IN ACCIAIO

Mod. 17 / 20 / 24 / 28 / 34
Self-cleaning with steel brazier
Autonettoyant avec brasier en acier
Selbstreinigendes mit Stahlkohlenbecken
Autolimpiante con braseiro de acero
Autolimpiante com braseiro de aço



Traditional Idro Double Door
17 - 20 - 24 - 28 - 34 kW



Sfera Glass Idro
17 - 20 - 24 kW



TRADITIONAL IDRO DOUBLE DOOR

ECODESIGN

SFERA GLASS IDRO

ECODESIGN

Potenza globale / Heat input / Puissance thermique totale / Thermische Gesamtleistung / Potencia global
Potência global

Potenza nominale / Nominal heat output / Puissance nominale / Thermische Nennleistung
Potencia nominal / Potência nominal

Potenza resa all'acqua / Water heat output / Puissance délivrée dans l'eau / Wasser Ausbeute Wärmeleistung
Potencia de entrega al agua / Potência nominal para a água

Potenza resa all'ambiente / Space heat output / Puissance délivrée dans l'environnement
Umwelt Ausbeute Wärmeleistung / Potencia de entrega al ambiente / Potência nominal para o ambiente

Consumo orario pellet / Pellet hourly consumption / Consommation horaire de granulés / Pelletverbrauch
pro Stunde / Consumo horario de pellets / Consumo de pellet por hora

Efficienza / Efficiency / Rendement / Ausbeute / Eficiencia / Eficiência

Capacità serbatoio pellet / Tank capacity / Capacité réservoir granulés / Fassungsvermögen Pelletbehälter
Capacidad del depósito de pellets / Capacidade do reservatório de pellet

Autonomia / Autonomy / Autonomie / Autonomie / Autonomía / Autonomia

Potenza elettrica di esercizio / Nominal power input / Puissance absorbée nominale
Nennleistung / Energía eléctrica para ejercer / Entrada de potencia nominal

Peso / Weight / Poids / Gewicht / Peso

Traditional Idro Double Door

Sfera Glass Idro



AUTOPULENTI CON BRACIERE IN ACCIAIO

	★★★★★ A++			A+ ★★★★★ A++	
	17 kW	20 kW	24 kW	28 kW	34 kW
	TR.ST.TH17DD-AU 420 m³	TR.ST.TH20DD-AU 420 m³	TR.ST.TH24DD-AU 510 m³	TR.ST.TH28DD-AU 600 m³	TR.ST.TH34DD-AU 730 m³
	SFERAGLTH17-AU 420 m³	SFERAGLTH20-AU 420 m³	SFERAGLTH24-AU 510 m³	/	/
kW	17,6 - 5,7	20,1 - 6,8	24,0 - 8,4	27,3 - 8,9	32,9 - 8,2
kW	16,5 - 5,4	19,2 - 6,5	22,8 - 7,9	25,8 - 8,5	30,0 - 7,6
kW	15,0 - 4,4	17,4 - 5,4	20,9 - 6,6	20,3 - 6,5	27,4 - 6,4
kW	1,6 - 1,1	1,8 - 1,1	1,9 - 1,3	5,5 - 2,0	2,6 - 1,2
Kg - h	3,7 - 1,2	4,1 - 1,4	5,0 - 1,7	5,5 - 1,8	6,8 - 1,7
%	95 - 94,2	95,9 - 95,6	94,9 - 94,2	93,0 - 92,7	93,0 - 91,2
Kg	33	38	38	57	57
h	27 - 9	27 - 9	22 - 7,5	30 - 9,5	30 - 8,5
W	340 - 75	320 - 72	345 - 83	430 - 165	370 - 95
Kg	150	236		280	
mm	547x590x1111	593x676x1248		704x739x1366	
mm	610x769x1173	642x759x1270		/	